




Pipes & Fittings

Electrical Piping Systems





ROUND CONDUIT uPVC PIPES & FITTINGS

Precision Round Conduit uPVC Pipes and Fittings

are manufactured from a specially formulated unplasticised polyvinyl chloride (uPVC) to meet the most stringent Indian and international standards. Our products are made of extra super high impact materials which make them safe to use in harsh environments. The products are manufactured in accordance with IS 9537-Part 3, BS EN 61386-21 for uPVC conduits, IS 3419:1988 and BS 4607 for uPVC fittings.

Applications

Channelising concealed and surface wiring.
Telecommunication and cable ducting.

Features

- Various diameters and grades.
- Light, medium and heavy mechanical stress, to suit various applications and site conditions.
- Easy and fast installation.
- Wide range of component maximises application.
- Durable and impact resistant.
- Fire retardant.
- Corrosion free.
- Thermal resistant from -5° C to +60° C.
- Precision circular boxes and adaptable boxes are provided with M4 brass insert with a load suspension capacity of 3 Kgs at 60° C.

Colours

Black, Grey, Ivory, White.



Red, Blue, Green, Yellow are available on request.



**DIMENSIONS OF ROUND CONDUIT uPVC PIPES
IS 9537-PART 3**

NORMAL SIZE (mm)	OUTSIDE DIAMETER (mm)	TOLERANCE ON OUTSIDE DIAMETER (mm)	INSIDE DIAMETER (Min) (mm)		
			LIGHT	MEDIUM	HEAVY
16	16	-0.3	13.7	13.0	12.2
19	19	-0.3	16.5	16.0	15.1
20	20	-0.3	17.4	16.9	15.8
25	25	-0.4	22.1	21.4	20.6
32	32	-0.4	28.6	27.8	26.6
40	40	-0.4	35.8	35.4	34.4
50	50	-0.5	45.1	44.3	43.2
63	63	-0.6	57.0	-	-



India's first and
only laser engraved pipes



Fire retardant,
corrosion free



Easy and quick
installation

ROUND CONDUIT uPVC PIPES
(NON SOCKETED) HSN: 39172310
COLOUR- BLACK/ GREY/ IVORY/ WHITE LENGTH - 3MTR

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc x Mtr Mtr/Bdl	RATE (mtr)
LMS (LIGHT MECHANICAL STRESS) FRLS≈				
1	PRC 16L	16	100 x 3m 300	17.50
2	PRC 19L #	19	100 x 3m 300	20.00
3	PRC 20L	20	100 x 3m 300	21.50
4	PRC 25L	25	100 x 3m 300	30.00
5	PRC 32L	32	50 x 3m 150	46.00
6	PRC 38L #	38	30 x 3m 90	55.00
7	PRC 40L	40	25 x 3m 75	74.00
8	PRC 50L	50	20 x 3m 60	107.00
9	PRC 63L	63	18 x 3m 54	158.00
MMS (MEDIUM MECHANICAL STRESS) FRLS≈				
10	PRC 16M	16	100 x 3m 300	21.50
11	PRC 19M #	19	100 x 3m 300	22.50
12	PRC 20M	20	100 x 3m 300	24.50
13	PRC 25M	25	100 x 3m 300	34.00
14	PRC 32M	32	50 x 3m 150	57.00
15	PRC 38M #	38	30 x 3m 90	77.00
16	PRC 40M	40	25 x 3m 75	82.00
17	PRC 50M	50	20 x 3m 60	125.00
HMS (HEAVY MECHANICAL STRESS) FRLS≈				
18	PRC16H	16	100 x 3m 300	26.00
19	PRC 19H #	19	100 x 3m 300	29.50
20	PRC 20H	20	100 x 3m 300	33.50
21	PRC25H	25	50 x 3m 150	41.50
22	PRC 32H	32	50 x 3m 150	75.00
23	PRC 38H #	38	30 x 3m 90	92.00
24	PRC 40H	40	25 x 3m 75	99.00
25	PRC 50H	50	20 x 3m 60	150.00
MMS (*L.H.S.F.T. CONDUIT)				
26	PSFT 20M	20	100 x 3m 300	31.00
27	PSFT 25M	25	100 x 3m 300	42.50
28	PSFT 32M	32	50 x 3m 150	75.00
29	PSFT 40M	40	25 x 3m 75	111.00
30	PSFT 50M	50	20 x 3m 60	153.00
HMS (*L.H.S.F.T. CONDUIT)				
31	PSFT 20H	20	100 x 3m 300	41.50
32	PSFT 25H	25	50 x 3m 150	52.00
33	PSFT 32H	32	50 x 3m 150	94.00
34	PSFT 40H	40	25 x 3m 75	129.00
35	PSFT 50H	50	20 x 3m 60	186.00

Special Sizes

≈ FRLS : • Fire Retardant • Low Smoke

* LHSFT : • Low - Halogen • Smoke Suppressing • Fire Retardant
• Temperature Stable • Lead Free

ROUND CONDUIT uPVC PIPES
(SOCKETED) HSN: 39172310
COLOUR- BLACK/ GREY/ IVORY/ WHITE LENGTH - 3MTR

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc x Mtr Mtr/Bdl	RATE (mtr)
LMS (LIGHT MECHANICAL STRESS) FRLS≈				
36	PRCS 16L	16	100 x 3m 300	17.50
37	PRCS 19L #	19	100 x 3m 300	20.00
38	PRCS 20L	20	100 x 3m 300	21.50
39	PRCS 25L	25	100 x 3m 300	30.00
40	PRCS 32L	32	50 x 3m 150	46.00
41	PRCS 38L #	38	30 x 3m 90	55.00
42	PRCS 40L	40	25 x 3m 75	74.00
43	PRCS 50L	50	20 x 3m 60	107.00
44	PRCS 63L	63	18 x 3m 54	158.00
MMS (MEDIUM MECHANICAL STRESS) FRLS≈				
45	PRCS 16M	16	100 x 3m 300	21.50
46	PRCS 19M #	19	100 x 3m 300	22.50
47	PRCS 20M	20	100 x 3m 300	24.50
48	PRCS 25M	25	100 x 3m 300	34.00
49	PRCS 32M	32	50 x 3m 150	57.00
50	PRCS 38M #	38	30 x 3m 90	77.00
51	PRCS 40M	40	25 x 3m 75	82.00
52	PRCS 50M	50	20 x 3m 60	125.00
HMS (HEAVY MECHANICAL STRESS) FRLS≈				
53	PRCS16H	16	100 x 3m 300	26.00
54	PRCS 19H #	19	100 x 3m 300	29.50
55	PRCS 20H	20	100 x 3m 300	33.50
56	PRCS 25H	25	50 x 3m 150	41.50
57	PRCS 32H	32	50 x 3m 150	75.00
58	PRCS 38H #	38	30 x 3m 90	92.00
59	PRCS 40H	40	25 x 3m 75	99.00
60	PRCS 50H	50	20 x 3m 60	150.00
MMS (*L.H.S.F.T. CONDUIT)				
61	PSFT 20MS	20	100 x 3m 300	31.00
62	PSFT 25MS	25	100 x 3m 300	42.50
63	PSFT 32MS	32	50 x 3m 150	75.00
64	PSFT 40MS	40	25 x 3m 75	111.00
65	PSFT 50MS	50	20 x 3m 60	153.00
HMS (*L.H.S.F.T. CONDUIT)				
66	PSFT 20HS	20	100 x 3m 300	41.50
67	PSFT 25HS	25	50 x 3m 150	52.00
68	PSFT 32HS	32	50 x 3m 150	94.00
69	PSFT 40HS	40	25 x 3m 75	129.00
70	PSFT 50HS	50	20 x 3m 60	186.00

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc/Bag Pc/Cartron	RATE (pc)
BENDING SPRING				

HSN: 73201019

71	PBS 20M	20	5	50	275.00
72	PBS 20H	20	5	50	275.00
73	PBS 25M	25	5	25	326.00
74	PBS 25H	25	5	25	326.00

ROUND CONDUIT uPVC PIPE FITTINGS



HSN: 39174000
COLOUR - BLACK/ GREY/ IVORY/ WHITE

CIRCULAR BOX WITHOUT LID

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc/Box Pc/Carton		RATE (pc)	
CIRCULAR BOX - TERMINAL (1 WAY)						
75	PRCB 191	19	20	600	15.00	
76	PRCB 201	20	20	600	15.50	
77	PRCB 251	25	15	450	21.00	
78	PRCB 321	32	10	160	37.00	
79	PRCB 401	40	10	160	44.50	
80	PRCB 501	50	5	80	81.00	
CIRCULAR BOX - ANGLE (2 WAY)						
81	PRCB 192A	19	20	400	16.50	
82	PRCB 202A	20	20	400	17.00	
83	PRCB 252A	25	15	300	21.50	
84	PRCB 322A	32	10	160	39.50	
85	PRCB 402A	40	10	160	48.00	
86	PRCB 502A	50	5	80	89.00	
CIRCULAR BOX - THROUGH (2 WAY)						
87	PRCB 192S	19	20	400	16.50	
88	PRCB 202S	20	20	400	17.00	
89	PRCB 252S	25	15	300	21.50	
90	PRCB 322S	32	10	160	39.50	
91	PRCB 402S	40	10	160	48.00	
92	PRCB 502S	50	5	80	89.00	
CIRCULAR BOX - TEE (3 WAY)						
93	PRCB 193	19	20	400	18.00	
94	PRCB 203	20	20	400	18.50	
95	PRCB 253	25	15	300	23.50	
96	PRCB 323	32	10	160	40.50	
97	PRCB 403	40	10	160	51.00	
98	PRCB 503	50	5	80	97.00	
CIRCULAR BOX - INTERSECTION (4 WAY)						
99	PRCB 194	19	20	400	19.50	
100	PRCB 204	20	20	400	20.00	
101	PRCB 254	25	15	240	27.50	
102	PRCB 324	32	10	160	42.50	
103	PRCB 404	40	10	160	58.00	
104	PRCB 504	50	5	80	105.00	
DEEP CIRCULAR BOX - TERMINAL (1 WAY)						
105	PRCB 191D	19	10	280	26.00	
106	PRCB 201D	20	10	280	26.50	
107	PRCB 251D	25	10	280	32.00	
108	PRCB 321D	32	10	280	37.00	
DEEP CIRCULAR BOX - ANGLE (2 WAY)						
109	PRCB 192AD	19	10	280	28.00	
110	PRCB 202AD	20	10	280	28.50	
111	PRCB 252AD	25	10	280	33.00	
112	PRCB 322AD	32	10	280	40.50	

#65 - For 19/20/25mm JB, DJB & 32 DJB

*80 - For 32/40mm JB

~93 - For 50 mm JB

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc/Box Pc/Carton		RATE (pc)	
DEEP CIRCULAR BOX - THROUGH (2 WAY)						
113	PRCB 192SD	19	10	200	28.00	
114	PRCB 202SD	20	10	200	28.50	
115	PRCB 252SD	25	10	200	33.00	
116	PRCB 322SD	32	10	200	40.50	
DEEP CIRCULAR BOX - TEE (3 WAY)						
117	PRCB 193D	19	10	220	30.00	
118	PRCB 203D	20	10	220	30.50	
119	PRCB 253D	25	10	220	39.50	
120	PRCB 323D	32	10	160	43.50	
DEEP CIRCULAR BOX - INTERSECTION (4 WAY)						
121	PRCB 194D	19	10	220	31.50	
122	PRCB 204D	20	10	220	32.00	
123	PRCB 254D	25	10	220	41.00	
124	PRCB 324D	32	10	160	44.00	
CIRCULAR BOX - BRANCH - 2 WAY (U)						
125	PRCB 20U	20	20	400	28.50	
126	PRCB 25U	25	20	400	37.00	
CIRCULAR BOX - BRANCH - 3 WAY (Y)						
127	PRCB 20Y	20	20	400	30.50	
128	PRCB 25Y	25	15	300	40.50	
CIRCULAR BOX - BRANCH - 4 WAY (H)						
129	PRCB 20H	20	15	300	32.00	
130	PRCB 25H	25	15	300	43.50	
CIRCULAR BOX - BACK OUTLET TERMINAL (1 WAY)						
131	PRCB 201 BO	20	20	400	27.50	
132	PRCB 251 BO	25	15	300	38.50	
CIRCULAR BOX - BACK OUTLET THROUGH (2 WAY)						
133	PRCB 202S BO	20	20	400	28.50	
134	PRCB 252S BO	25	15	300	40.50	
CIRCULAR BOX - BACK OUTLET ANGLE (2 WAY)						
135	PRCB 202A BO	20	20	400	28.50	
136	PRCB 252A BO	25	15	300	40.50	
CIRCULAR BOX - BACK OUTLET TEE (3 WAY)						
137	PRCB 203 BO	20	20	400	30.50	
138	PRCB 253 BO	25	15	300	43.50	
CIRCULAR LID (WITH SCREW)						
139	PRCL 65 #	65	100	2000	4.50	
140	PRCL 80 *	80	100	2000	11.00	
141	PRCL 85	85	100	2000	11.50	
142	PRCL 90	90	100	1800	13.00	
143	PRCL 93 ~	93	25	750	13.00	
144	PRCL 110	110	50	900	20.50	
CIRCULAR LID (WITHOUT SCREW)						
145	PRCL 65WS #	65	100	2000	4.00	
146	PRCL 80WS *	80	100	2000	10.50	
147	PRCL 85WS	85	100	2000	11.00	
148	PRCL 90WS	90	100	1800	12.50	
149	PRCL 93WS ~	93	25	750	12.50	
150	PRCL 110WS	110	50	900	20.00	

ROUND CONDUIT uPVC PIPE FITTINGS

HSN: 39174000
COLOUR- BLACK/ GREY/ IVORY/ WHITE

CIRCULAR BOX WITH LID & SCREW

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc/Box Pc/Carton		RATE (pc)	
CIRCULAR BOX - TERMINAL (1 WAY)						
151	PRCB 191L	19	20	600	20.50	
152	PRCB 201L	20	20	600	21.00	
153	PRCB 251L	25	15	450	26.50	
154	PRCB 321L	32	10	160	49.00	
155	PRCB 401L	40	10	160	57.00	
156	PRCB 501L	50	5	80	95.00	
CIRCULAR BOX - ANGLE (2 WAY)						
157	PRCB 192AL	19	20	400	22.00	
158	PRCB 202AL	20	20	400	22.50	
159	PRCB 252AL	25	15	300	27.00	
160	PRCB 322AL	32	10	160	52.00	
161	PRCB 402AL	40	10	160	60.00	
162	PRCB 502AL	50	5	80	103.00	
CIRCULAR BOX - THROUGH (2 WAY)						
163	PRCB 192SL	19	20	400	22.00	
164	PRCB 202SL	20	20	400	22.50	
165	PRCB 252SL	25	15	300	27.00	
166	PRCB 322SL	32	10	160	52.00	
167	PRCB 402SL	40	10	160	60.00	
168	PRCB 502SL	50	5	80	103.00	
CIRCULAR BOX - TEE (3 WAY)						
169	PRCB 193L	19	20	400	23.50	
170	PRCB 203L	20	20	400	24.00	
171	PRCB 253L	25	15	300	29.00	
172	PRCB 323L	32	5	110	53.00	
173	PRCB 403L	40	5	110	63.00	
174	PRCB 503L	50	5	80	111.00	
CIRCULAR BOX - INTERSECTION (4 WAY)						
175	PRCB 194L	19	20	320	25.00	
176	PRCB 204L	20	20	320	25.50	
177	PRCB 254L	25	15	240	33.00	
178	PRCB 324L	32	5	110	55.00	
179	PRCB 404L	40	5	110	70.00	
180	PRCB 504L	50	5	80	119.00	
DEEP CIRCULAR BOX - TERMINAL (1 WAY)						
181	PRCB 191DL	19	10	280	31.50	
182	PRCB 201DL	20	10	280	32.00	
183	PRCB 251DL	25	10	280	37.50	
184	PRCB 321DL	32	10	280	42.50	
DEEP CIRCULAR BOX - ANGLE (2 WAY)						
185	PRCB 192ADL	19	10	280	33.50	
186	PRCB 202ADL	20	10	280	34.00	
187	PRCB 252ADL	25	10	280	38.50	
188	PRCB 322ADL	32	10	280	46.00	

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (pc)	
DEEP CIRCULAR BOX - THROUGH (2 WAY)						
189	PRCB 192SDL	19	10	200	33.50	
190	PRCB 202SDL	20	10	200	34.00	
191	PRCB 252SDL	25	10	200	38.50	
192	PRCB 322SDL	32	10	200	46.00	
DEEP CIRCULAR BOX - TEE (3 WAY)						
193	PRCB 193DL	19	10	220	35.50	
194	PRCB 203DL	20	10	220	36.00	
195	PRCB 253DL	25	10	220	45.00	
196	PRCB 323DL	32	10	160	49.00	
DEEP CIRCULAR BOX - INTERSECTION (4 WAY)						
197	PRCB 194DL	19	10	220	37.00	
198	PRCB 204DL	20	10	220	37.50	
199	PRCB 254DL	25	10	220	46.50	
200	PRCB 324DL	32	10	160	49.50	
CIRCULAR BOX - BRANCH - 2 WAY (U)						
201	PRCB 20UL	20	20	400	34.00	
202	PRCB 25UL	25	20	400	42.50	
CIRCULAR BOX - BRANCH - 3 WAY (Y)						
203	PRCB 20YL	20	15	300	36.00	
204	PRCB 25YL	25	15	300	46.00	
CIRCULAR BOX - BRANCH - 4 WAY (H)						
205	PRCB 20HL	20	15	300	37.50	
206	PRCB 25HL	25	15	300	49.00	
CIRCULAR BOX - BACK OUTLET TERMINAL (1 WAY)						
207	PRCB 201 BOL	20	20	400	33.00	
208	PRCB 251 BOL	25	15	300	44.00	
CIRCULAR BOX - BACK OUTLET THROUGH (2 WAY)						
209	PRCB 202S BOL	20	15	300	34.00	
210	PRCB 252S BOL	25	15	240	46.00	
CIRCULAR BOX - BACK OUTLET ANGLE (2 WAY)						
211	PRCB 202A BOL	20	15	300	34.00	
212	PRCB 252A BOL	25	15	240	46.00	
CIRCULAR BOX - BACK OUTLET TEE (3 WAY)						
213	PRCB 203 BOL	20	15	300	36.00	
214	PRCB 253 BOL	25	15	240	49.00	
CIRCULAR EXTENSION RING						
215	PRER 20	20	50	800	11.00	
216	PRER 25	25	40	640	13.50	
LOOP IN BOX						
217	PRLB 20	20	20	400	17.00	
LOOP IN BOX EXTENSION						
218	PRLB 20E	20	24	384	23.50	

ROUND CONDUIT uPVC PIPE FITTINGS

HSN: 39174000
COLOUR- BLACK/ GREY/ IVORY/ WHITE



SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc/Box Pc/Carton		RATE (pc)
COUPLER					
219	PCR 19	19	100	2000	4.00
220	PCR 20	20	100	2000	4.50
221	PCR 20L	20 Long	150	2400	5.00
222	PCR 25	25	100	2000	6.50
223	PCR 32	32	60	960	12.00
224	PCR 38	38	30	480	17.50
225	PCR 40	40	30	480	20.00
226	PCR 50	50	20	320	32.50
REDUCER COUPLER (PIPE TO FITTING)					
227	PRR 1	25>20	250	4000	6.50
REDUCER COUPLER (PIPE TO PIPE)					
228	PRR 2520	25 > 20	75	1500	7.00
229	PRR 3220	32 > 20	60	1200	9.50
230	PRR 3225	32 > 25	40	800	12.00
231	PRR 4020	40 > 20	48	960	13.50
232	PRR 4032	40 > 32	32	640	16.00
233	PRR 5032	50 > 32	30	480	20.00
234	PRR 5040	50 > 40	30	480	21.00
SLIP TYPE BEND					
235	PRBN 19	19	65	1040	8.00
236	PRBN 20	20	65	1040	8.50
237	PRBN 25	25	35	560	14.50
238	PRBN 32	32	20	320	39.50
239	PRBN 38	38	10	160	48.00
240	PRBN 40	40	10	160	79.00
241	PRBN 50	50	5	80	111.00
242	PRBN 63	63	-	50	151.00
SLIP TYPE LONG BEND					
243	PRBL 19	19	45	720	13.00
244	PRBL 20	20	45	720	13.50
245	PRBL 25	25	20	320	23.00
246	PRBL 32	32	10	160	54.00
247	PRBL 38	38	-	100	67.00
248	PRBL 40	40	-	80	107.00
249	PRBL 50	50	-	55	153.00
SPACE BAR SADDLE					
250	PRBS 19	19	100	2000	7.00
251	PRBS 20	20	100	2000	7.50
252	PRBS 25	25	100	2000	9.00
253	PRBS 32	32	100	1600	13.50
254	PRBS 38	38	80	1280	16.50
255	PRBS 40	40	80	1280	17.00
256	PRBS 50	50	60	960	20.00
257	PRBS 63	63	-	50	25.50

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc/Box Pc/Carton		RATE (pc)
SADDLE STRAP					
258	PRSS 19	19	100	2000	3.50
259	PRSS 20	20	100	2000	4.00
260	PRSS 25	25	100	2000	5.00
261	PRSS 32	32	100	1600	7.00
262	PRSS 38	38	80	1280	8.50
263	PRSS 40	40	80	1280	9.00
264	PRSS 50	50	60	960	11.50
ROUND 'U' CLIP					
265	PRUC 20	20	200	4000	6.50
END CAP					
266	PREC 20	20	150	3000	3.00
267	PREC 25	25	100	2000	4.00
268	PREC 32	32	70	1400	5.00
269	PREC 40	40	32	640	9.50
270	PREC 50	50	24	480	13.50
MALE BUSH ADAPTOR					
271	PMBA 20	20	100	2000	7.50
272	PMBA 25	25	100	2000	8.50
FEMALE BUSH ADAPTOR					
273	PFBA 19	19	100	2000	7.00
274	PFBA 20	20	100	2000	7.50
275	PFBA 25	25	100	2000	9.50
276	PFBA 32	32	75	1200	22.00
277	PFBA 38	38	50	800	29.50
278	PFBA 40	40	50	800	29.50
279	PFBA 50	50	25	400	49.00
ROUND ELBOW					
280	PRE 20	20	125	2500	7.00
281	PRE 25	25	75	1200	9.50
282	PRE 32	32	20	400	13.00
283	PRE 40	40	15	300	17.50
284	PRE 50	50	10	200	31.50
ROUND TEE					
285	PRT 20	20	50	1500	10.50
286	PRT 25	25	50	800	14.00
287	PRT 32	32	15	300	17.00
288	PRT 40	40	10	200	24.50
289	PRT 50	50	10	160	39.50
INSPECTION ELBOW					
290	PIE 20	20	20	600	27.50
291	PIE 25	25	20	400	34.00
INSPECTION TEE					
292	PIT 20	20	20	600	28.50
293	PIT 25	25	20	400	40.50
INSPECTION BEND					
294	PIB 20	20	20	600	28.50
295	PIB 25	25	20	400	40.50

ROUND CONDUIT uPVC PIPE

FITTINGS HSN: 39174000

COLOUR- BLACK / GREY/ IVORY/ WHITE

SR NO	PRODUCT CODE	SIZE W x H (mm)	STANDARD PACK Pc/Box Pc/Carton		RATE (pc)
ADAPTABLE BOX WITH LID					
296	PAB 75L *	3" x 3" x 2"	10	200	60.00
		75x75x50			
297	PAB 110L #	4" x 4" x 3"	-	100	119.00
		110x110x75			
298	PAB 160L	6" x 4" x 3"	-	75	236.00
		160x110x75			
299	PAB 160SL	6" x 6" x 3"	-	50	260.00
		160x160x75			
300	PAB 225SL	9" x 9" x 3"	-	20	559.00
		225x225x75			
301	PAB 300SL	12" x 12" x 4"	-	5	1176.00
		300x300x110			



SR NO	PRODUCT CODE	SIZE W x H (inch)	STANDARD PACK Pc/Box Pc/Carton		RATE (pc)
SURFACE SWITCH BOX					
302	PSB 1	3" x 3"	10	300	37.00
303	PSB 2	6" x 3"	10	200	64.00
SWITCH BOX LID					
304	PSBL1 LID	3" x 3"	50	1500	17.00
305	PSBL2 LID	6" x 3"	25	750	22.00
FLUSH MOUNTED - SWITCH BOX					
306	PFSB 1	3" x 3" x 2.5"	10	200	42.50
307	PFSB 2	6" x 3" x 2.5"	10	160	57.00



SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc/Box Pc/Carton		RATE (pc)
FAN BOX					
308	PRFB 20	20 Standard	10	220	44.50
309	PRFB 25	25 Standard	10	220	44.50
310	PRFB 20SL	20 Large	10	140	60.00
311	PRFB 25SL	25 Large	10	140	60.00
312	PRFBRD 2025	20/25 With Rod	1	28	179.00
313	PRFBRD 25	25 With Rod	1	28	179.00



SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc/Box Pc/Bag	RATE (pc)
METAL FAN BOX (WITH ROD)				

HSN: 73072900

314	PMFB 2025	20/25	50	143.00
-----	------------------	-------	----	--------



SR NO	PRODUCT CODE	SIZE (ml)	STANDARD PACK Pc/Box Pc/Carton	RATE (pc)
uPVC SOLVENT CEMENT				

HSN: 35061000

315	PSC 250ML	250ml	24	96	101.00
316	PSC 500ML	500ml	12	48	173.00
317	PSC 1L	1L	6	24	301.00
318	PSC 5L	5L	-	6	1377.00



* 32/38/40mm Knockout Available
50mm Knockout Available

OVAL CONDUIT uPVC PIPES

HSN: 39172310

COLOUR- WHITE LENGTH- 2MTR

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc x Mtr Mtr/Bdl		RATE (mtr)
OVAL CONDUIT uPVC PIPES					
319	POC 16	16	200 x 2m	400	13.50
320	POC 20	20	200 x 2m	400	17.00
321	POC 25	25	100 x 2m	200	23.00



OVAL CONDUIT uPVC PIPE

FITTINGS HSN: 39174000

COLOUR- WHITE

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc/Box	RATE (pc)
OVAL CONNECTOR				
322	POCT 16	16	100	2.00
323	POCT 20	20	50	3.00
324	POCT 25	25	50	4.00
OVAL ELBOW				
325	POE 16	16	100	3.00
326	POE 20	20	75	4.00
327	POE 25	25	50	6.00
OVAL TEE				
328	POT 16	16	100	4.00
329	POT 20	20	50	5.00
330	POT 25	25	40	6.00
OVAL INTERNAL BEND				
331	POIB 16	16	100	4.00
332	POIB 20	20	50	4.00
333	POIB 25	25	25	5.00
OVAL EXTERNAL BEND				
334	POEB 16	16	100	4.00
335	POEB 20	20	50	5.00
336	POEB 25	25	25	5.00
OVAL SADDLE STRAP				
337	POSS 16	16	100	3.00
338	POSS 20	20	100	3.00
339	POSS 25	25	100	5.00
OVAL SADDLE STRAP BASE				
340	POB	Standard	100	5.00
OVAL 'U' CLIP				
341	POU 16	16	200	3.00
342	POU 20	20	150	4.00
343	POU 25	25	150	4.50
OVAL TO ROUND ADAPTOR				
344	PORA 16	16	100	3.00
345	PORA 20	20	50	5.00
346	PORA 25	25	25	6.00





CORRUGATED FLEXIBLE CONDUIT & FITTINGS

DIMENSIONS OF CORRUGATED FLEXIBLE CONDUITS

NOMINAL DIAMETER (mm)	MAXIMUM OUTSIDE DIAMETER (mm)	TOLERANCE ON OUTSIDE DIAMETER (mm)	MINIMUM INSIDE DIAMETER (mm)
10	10	-0.1	7.0
16	16	-0.3	10.7
20	20	-0.3	14.1
25	25	-0.4	18.3
32	32	-0.4	24.3
40	40	-0.4	31.2
50	50	-0.5	39.6
63	63	-0.6	52.6

Precision Corrugated Flexible Conduit Pipes come in a wide and comprehensive range of material variants to suit variety of applications. These conduits are manufactured in slit and non-slit variants based on the final application for wiring purposes.

Polypropylene Flexible Conduits are the best solution for applications where resistance to constant flexing and vibration is essential. These conduits display excellent flexibility, moreover, they are light weight and easy to install which makes them very popular. Temperature resistant from -5°C to +90°C.

Fire Retardant Polypropylene Flexible Conduits are self extinguishing. These conduits are manufactured from UL94 V2 rated material, ideally suited for automobile applications, wire harnessing, electrical wiring, cable protection and envelope to LPG gas conductors. Temperature resistant from -5°C to +90°C.

Polyamide Flexible Conduits are manufactured from flame retardant and self extinguishing (PA6) material, making them suitable for high temperature zones where human life or components are at risk, high resistance to corrosion by most mineral oils, acids and alkalis. They are widely used in automobile applications and have temperature resistance upto +120°C. Also available in slit type.

Steel Wire Reinforced Flexible uPVC Conduits are manufactured with soft polyvinyl chloride (uPVC) wall fused to high tensile steel wire in a coiled state. These conduits are unaffected by inorganic acid, alkali, saline water. Most suitable for electrical wiring in building, switch boards, panels, machinery, dust collectors, air dusting, exhaust of fumes, shrouds of railway coach wiring and hospital equipments. Temperature resistant from -5°C to +60°C.

Colours

Black, Grey, Ivory, White



Red, Blue, Green, Yellow are available on request




Fire retardant,
corrosion free

CORRUGATED FLEXIBLE CONDUIT

PIPES HSN: 39173100

COLOUR- BLACK/ GREY/ IVORY/ WHITE

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (mtr)
			Mtr/Coil	Mtr/Bag	
(PP) POLY PROPYLENE					
347	PCFC 10	10	100	1000	9.00
348	PCFC 16	16	50	500	9.00
349	PCFC 20	20	50	500	12.00
350	PCFC 25	25	25	250	17.50
351	PCFC 32	32	25	250	27.50
352	PCFC 40	40	20	100	37.50
353	PCFC 50	50	15	75	58.00
354	PCFC 63	63	10	50	91.00
FRPP (FIRE RETARDANT POLY PROPYLENE)					
355	PCFR 10	10	100	1000	15.50
356	PCFR 16	16	50	500	15.50
357	PCFR 20	20	50	500	17.50
358	PCFR 25	25	25	250	25.50
359	PCFR32	32	25	250	40.50
360	PCFR 40	40	20	100	60.00
361	PCFR 50	50	15	75	86.00
362	PCFR 63	63	10	50	142.00



CORRUGATED FLEXIBLE CONDUIT

PIPES (SLITTED) HSN: 39173100

COLOUR- BLACK/ GREY/ IVORY/ WHITE

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (mtr)
			Mtr/Coil	Mtr/Bag	
(PP) POLY PROPYLENE					
363	PCFC 10 S	10	100	1000	11.00
364	PCFC 16 S	16	50	500	11.00
365	PCFC 20 S	20	50	500	13.50
366	PCFC 25 S	25	25	250	19.50
367	PCFC 32 S	32	25	250	30.50
368	PCFC 40 S	40	20	100	39.50
369	PCFC 50 S	50	15	75	60.00
370	PCFC 63 S	63	10	50	93.00
FRPP (FIRE RETARDANT POLY PROPYLENE)					
371	PCFR 10 S	10	100	1000	17.50
372	PCFR 16 S	16	50	500	17.50
373	PCFR 20 S	20	50	500	19.50
374	PCFR 25 S	25	25	250	27.50
375	PCFR32 S	32	25	250	42.00
376	PCFR 40 S	40	20	100	62.00
377	PCFR 50 S	50	15	75	88.00
378	PCFR 63 S	63	10	50	144.00



CORRUGATED FLEXIBLE CONDUIT

PIPE FITTINGS HSN: 39174000

COLOUR- BLACK / GREY

SR NO	PRODUCT CODE	SIZE ID (mm)	STANDARD PACK		RATE (pc)
			Pc/Bag	Pc/Carton	
CORRUGATED FLEXIBLE CONDUIT GLAND					
379	PFAG 16	16	50	400	4.50
380	PFAG 20	20	50	300	6.00
381	PFAG 25	25	50	250	8.50
382	PFAG 32	32	10	100	10.00
383	PFAG 40	40	10	80	15.50
384	PFAG 50	50	10	50	19.50



CORRUGATED FLEXIBLE CONDUIT

PIPES HSN: 39173100

COLOUR- BLACK

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (mtr)
			Mtr/Coil	Mtr/Bag	
NYLON (POLYAMIDE)					
385	PCPA 10	10	100	1000	83.00
386	PCPA 16	16	50	250	89.00
387	PCPA 20	20	50	250	105.00
388	PCPA 25	25	25	125	154.00
389	PCPA 32	32	25	125	235.00
390	PCPA 40	40	20	100	319.00
391	PCPA 50	50	15	75	443.00
392	PCPA 63	63	10	50	693.00



STEEL WIRE REINFORCED FLEXIBLE uPVC CONDUIT PIPES

HSN: 39172190

COLOUR- GREY

SR NO	PRODUCT CODE	SIZE ID (mm)	STANDARD PACK		RATE (mtr)
			Mtr/Coil	Mtr/Bag	
STEEL WIRE REINFORCED FLEXIBLE uPVC CONDUIT PIPES					
393	PCWR 10	10	30	300	39.00
394	PCWR 16	16	30	300	43.00
395	PCWR 20	20	30	240	59.00
396	PCWR 25	25	30	210	65.00
397	PCWR 30	30	30	150	88.00
398	PCWR 40	40	30	120	108.00
399	PCWR 50	50	30	90	133.00
400	PCWR 60	60	15	75	171.00



STEEL WIRE REINFORCED FLEXIBLE uPVC CONDUIT PIPE FITTINGS


HSN: 39174000

COLOUR- GREY

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (pc)
			Pc/Bag	Pc/Carton	
STEEL WIRE REINFORCED FLEXIBLE uPVC CONDUIT GLAND					
401	PFRG 10	10	50	300	8.50
402	PFRG 16	16	50	250	10.00
403	PFRG 20	20	50	200	13.50
404	PFRG 25	25	10	100	17.50
405	PFRG 30	30	10	80	21.50
406	PFRG 40	40	10	50	28.50
407	PFRG 50	50	10	30	41.00



uPVC MINI/MAXI TRUNKING PROFILE & FITTINGS



Precision uPVC Mini/Maxi Trunking Profile and Fittings are manufactured from high impact unplasticised polyvinyl chloride (uPVC) grade material capable of withstanding the most hazardous conditions on-site and exceeds the most stringent requirements of Indian and International standards. The product range brings a whole new world of sophistication and convenience to home, office and commercial establishments and is in accordance with Indian Standards IS 14927-Part 2 and BS EN 50085-2-1. Mini Trunking Profile are also available with self fixing tape for instant and easy installation. Clip on lid provides security while allowing easy maintenance.

Precision uPVC Maxi Trunking Profile Cable Management System is designed for convenience and safety with compartments for separate wiring applications. Maxi Trunking Profile fittings are available in moulded and fabricated form, thus adding a sleek touch to your interiors.

Application

To organize and protect cables on surface.

Features


- Fast installation and easy maintenance.
- Secure and elegant look.
- Wide range of sizes to suit all cabling requirements
- Durable and impact resistant
- Fire retardant
- Corrosion free
- Thermal resistant from -5°C to +60°C

Colours

Ivory, White



Fire retardant,
corrosion free



Wide range

uPVC MINI/MAXI TRUNKING

PROFILE HSN: 39162019

COLOUR- IVORY/ WHITE

SR NO	PRODUCT CODE	SIZE W x H (mm)	STANDARD PACK Pc x Mtr Mtr/Bdl	RATE (mtr)
uPVC MINI TRUNKING PROFILE				
408	PT 2012	20 x 12	100 x 2m	23.50
409	PT 2512	25 x 12	100 x 2m	27.50
410	PT 3212	32 x 12	100 x 2m	35.00
411	PT 1616	16 x 16	100 x 2m	23.00
412	PT 2516	25 x 16	100 x 2m	34.50
413	PT 3816	38 x 16	30 x 2m	54.00
414	PT 3825	38 x 25	50 x 2m	81.00
415	PT 3838	38 x 38	25 x 2m	99.00
416	PT 5016	50 x 16	30 x 2m	82.00
417	PT 5050	50 x 50	20 x 2m	144.00
uPVC MINI TRUNKING PROFILE (SELF ADHESIVE)				
418	PTS 1616	16 x 16	100 x 2m	32.50
419	PTS 2516	25 x 16	100 x 2m	48.00
420	PTS 3816	38 x 16	30 x 2m	77.00
421	PTS 3825	38 x 25	50 x 2m	98.00
uPVC MAXI TRUNKING PROFILE				
422	PT 7550	75 x 50	12 x 2m	348.00
423	PT 7575	75 x 75	9 x 2m	450.00
424	PT 10050	100 x 50	10 x 2m	562.00
425	PT 100100	100 x 100	6 x 2m	814.00
426	PT 15050	150 x 50	5 x 2m	1098.00
uPVC MAXI TRUNKING PROFILE DIVIDER				
427	PMTD *	Standard	50 x 2m	79.00
RECTANGULAR CHANNEL PROFILE				
428	PCH 13	13 x 9	50 x 2m	17.00
429	PCH 25	25 x 9	50 x 2m	22.00
430	PCH 38	38 x 9	50 x 2m	27.50

* For 100 x 50

?

DID YOU KNOW

Precision loves choices and so do their consumers. It is India's only company to provide custom coloured pipes with a palette of infinite possibilities.

uPVC MINI/MAXI TRUNKING PROFILE

FITTINGS (MOULDED) HSN: 39174000

COLOUR- IVORY/ WHITE

SR NO	PRODUCT CODE	SIZE W x H (mm)	STANDARD PACK Pc/Box	RATE (pc)
COUPLER				
431	PTC 2012	20 x 12	100	5.00
432	PTC 2512	25 x 12	100	6.00
433	PTC 3212	32 x 12	100	6.00
434	PTC 1616	16 x 16	100	6.00
435	PTC 2516	25 x 16	100	7.00
436	PTC 3816	38 x 16	50	10.50
437	PTC 3825	38 x 25	50	10.50
438	PTC 5050	50 x 50	10	46.50
439	PTC 10050	100 x 50	10	65.00
ELBOW				
440	PTB 2012	20 x 12	100	6.00
441	PTB 2512	25 x 12	100	6.00
442	PTB 3212	32 x 12	100	7.50
443	PTB 1616	16 x 16	100	8.50
444	PTB 2516	25 x 16	100	8.50
445	PTB 3816	38 x 16	100	10.50
446	PTB 3825	38 x 25	100	17.00
447	PTB 5050	50 x 50	10	66.00
448	PTB 10050	100 x 50	10	157.00
TEE				
449	PTT 2012	20 x 12	100	6.00
450	PTT 2512	25 x 12	50	8.50
451	PTT 3212	32 x 12	50	8.50
452	PTT 1616	16 x 16	100	7.00
453	PTT 2516	25 x 16	50	8.50
454	PTT 3816	38 x 16	50	13.50
455	PTT 3825	38 x 25	50	17.00
456	PTT 5050	50 x 50	10	83.00
457	PTT10050	100 x 50	10	181.00
INTERNAL BEND				
458	PTI 2512	25 x 12	100	8.50
459	PTI 3212	32 x 12	100	8.50
460	PTI 1616	16 x 16	100	7.00
461	PTI 2516	25 x 16	100	8.50
462	PTI 3816	38 x 16	100	10.50
463	PTI 3825	38 x 25	50	17.00
464	PTI 5050	50 x 50	10	69.00
465	PTI 10050	100 x 50	10	106.00
EXTERNAL BEND				
466	PTE 2512	25 x 12	100	8.50
467	PTE 3212	32 x 12	100	8.50
468	PTE 1616	16 x 16	100	7.00
469	PTE 2516	25 x 16	100	8.50
470	PTE 3816	38 x 16	100	10.50
471	PTE 3825	38 x 25	50	17.00
472	PTE 5050	50 x 50	10	69.00
473	PTE 10050	100 x 50	10	106.00

**uPVC MINI/MAXI TRUNKING PROFILE FITTINGS
(MOULDED)** HSN: 39174000
COLOUR- IVORY / WHITE

SR NO	PRODUCT CODE	SIZE W x H (mm)	STANDARD PACK Pc/Box	RATE (pc)
4 WAY				
474	PTW 3212	32 x 12	50	9.50
END CAP				
475	PMTc 50	50 x 50	50	80.00
476	PMTc 100	100 x 50	50	89.00
SOCKET MOUNTING FRAME				
477	PMTS1	1 GANG	30	93.00
478	PMTS2	2 GANG	20	110.00

SR NO	PRODUCT CODE	SIZE W x H (mm)	STANDARD PACK Pc/Box Pc/Carton	RATE (pc)
JUNCTION LINKER				
479	PTJL 7575	Standard	25 500	9.50
SURFACE SWITCH BOX (Trunking Knockout)				
480	PTSB1	3" x 3"	10 300	36.50
481	PTSB2	6" x 3"	10 200	62.00

**uPVC MINI/MAXI TRUNKING PROFILE FITTINGS
(FABRICATED)** HSN: 39174000
COLOUR- IVORY / WHITE

SR NO	PRODUCT CODE	SIZE W x H (mm)	STANDARD PACK Pc/Bag	RATE (pc)
ELBOW				
482	PMTL 751	75 x 50	1	342.00
483	PMTL 752	75 x 75	1	407.00
484	PMTL 1002	100 x 100	1	795.00
485	PMTL 1501	150 x 50	1	914.00
TEE				
486	PMTT 751	75 x 50	1	342.00
487	PMTT 752	75 x 75	1	407.00
488	PMTT 1002	100 x 100	1	759.00
489	PMTT 1501	150 x 50	1	873.00
INTERNAL ANGLE				
490	PMTI 751	75 x 50	1	342.00
491	PMTI 752	75 x 75	1	407.00
492	PMTI 1002	100 x 100	1	759.00
493	PMTI 1501	150 x 50	1	873.00
EXTERNAL ANGLE				
494	PMTE 751	75 x 50	1	342.00
495	PMTE 752	75 x 75	1	407.00
496	PMTE 1002	100 x 100	1	759.00
497	PMTE 1501	150 x 50	1	873.00
FLAT ANGLE 135°				
498	PTFA 50	50 x 50	1	220.00
499	PTFA 751	75 x 50	1	342.00
500	PTFA 752	75 x 75	1	407.00
501	PTFA 1001	100 x 50	1	499.00
502	PTFA 1002	100 x 100	1	759.00
503	PTFA 1501	150 x 50	1	873.00

SR NO	PRODUCT CODE	SIZE W x H (mm)	STD.PACK Pc/Bag	RATE (pc)
INTERNAL ANGLE 135°				
504	PTIA 50	50 x 50	1	220.00
505	PTIA 751	75 x 50	1	342.00
506	PTIA 752	75 x 75	1	407.00
507	PTIA 1001	100 x 50	1	499.00
508	PTIA 1002	100 x 100	1	759.00
509	PTIA 1501	150 x 50	1	873.00
EXTERNAL ANGLE 135°				
510	PTEA 50	50 x 50	1	220.00
511	PTEA 751	75 x 50	1	342.00
512	PTEA 752	75 x 75	1	407.00
513	PTEA 1001	100 x 50	1	499.00
514	PTEA 1002	100 x 100	1	759.00
515	PTEA 1501	150 x 50	1	873.00
INTERNAL TEE 90°				
516	PTIT 50	50 x 50	1	220.00
517	PTIT 751	75 x 50	1	342.00
518	PTIT 752	75 x 75	1	407.00
519	PTIT 1001	100 x 50	1	499.00
520	PTIT 1002	100 x 100	1	759.00
521	PTIT 1501	150 x 50	1	873.00
EXTERNAL TEE 90°				
522	PTET 50	50 x 50	1	220.00
523	PTET 751	75 x 50	1	342.00
524	PTET 752	75 x 75	1	407.00
525	PTET 1001	100 x 50	1	499.00
526	PTET 1002	100 x 100	1	759.00
527	PTET 1501	150 x 50	1	873.00

uPVC PANEL TRUNKING



Precision uPVC Panel Trunking are manufactured from high impact unplasticised polyvinyl chloride (uPVC) to ensure panel & machinery safety in extreme conditions. These trunkings are ideal to channelise medium and big size panels & various applications where economy, space saving, safety and durability are paramount.


Applications

To conduct, organize, and protect cables inside electrical and telecommunication panels, industrial machinery wiring, Computer LAN wiring and data centers.

Features

- Non – brittle, flame retardant, wrap proof
- Vertical slides and detachable strips facilitates systematic wiring, permits faster connections, additions and fault tracing of wires
- Avoids bunching, taping and provides complete electrical insulation
- Unique cover locking design prevents popping of wires while removing cover
- Elongated slots at bottom allows flexible mounting
- High tensile strength 390 kg/cm²
- Thermal resistant from -5°C to +60°C

Colour
Grey



Thermal resistant

uPVC PANEL TRUNKING HSN: 85381010
COLOUR- GREY



SR NO	PRODUCT CODE	SIZE H x W (mm)	STANDARD PACK Pc x Mtr Mtr/Carton	RATE (mtr)
uPVC PANEL TRUNKING - STANDARD SLOT				
528	PPT 1515	15 x 15	200 x 1m	200
529	PPT 2525	25 x 25	130 x 1m	130
530	PPT 3025	30 x 25	125 x 1m	125
531	PPT 4525	45 x 25	90 x 1m	90
532	PPT 4545	45 x 45	50 x 1m	50
533	PPT 4560	45 x 60	50 x 1m	50
534	PPT 6025	60 x 25	70 x 1m	70
535	PPT 6040	60 x 40	60 x 1m	60
536	PPT 6045	60 x 45	50 x 1m	50
537	PPT 6060	60 x 60	40 x 1m	40
538	PPT 7525	75 x 25	60 x 1m	60
539	PPT 7575	75 x 75	30 x 1m	30
540	PPT 10075	100 x 75	24 x 1m	24
541	PPT 100100	100 x 100	16 x 1m	16



SR NO	PRODUCT CODE	SIZE H x W (mm)	STANDARD PACK Pc x Mtr Mtr/Carton	RATE (mtr)
uPVC PANEL TRUNKING - THIN SLOT				
542	PPT 3025TS	30 x 25	125 x 1m	125
543	PPT 4525TS	45 x 25	90 x 1m	90
544	PPT 4545TS	45 x 45	50 x 1m	50
545	PPT 6025TS	60 x 25	70 x 1m	70
546	PPT 6040TS	60 x 40	60 x 1m	60
547	PPT 6045TS	60 x 45	50 x 1m	50
548	PPT 6060TS	60 x 60	40 x 1m	40




SR NO	PRODUCT CODE	SIZE (mm)	STANDARD PACK Pc x Mtr Mtr/Carton	RATE (mtr)
uPVC PANEL TRUNKING - TOP COVER				
549	PPT 25T	25	100 x 1m	100
550	PPT 45T	45	50 x 1m	50
551	PPT 60T	60	50 x 1m	50
552	PPT 75T	75	25 x 1m	25
553	PPT 100T	100	25 x 1m	25



- * Available with normal and thin slots in 1mtr and 2mtr length.
- * Panel Trunking also available without slots.
- * Cut length available.

OPTIMAL GRIP LID

- Precision's Panel Trunking lid design provides high capacity to sustain leads of wire in the case of a cable positioned in the centre of the duct and avoids them from riding up.
- Quick snap on/off and non-slip assembly forms a firm rigid channel.




- Interlocking lid and channel is optimised to make the system easier to install and to provide discrete routing of cables.
- Uniform grip and thickness throughout the length system with independent non-slip lid, keeps cover in place during high vibration applications.




WALL PERFORATION RIB DESIGN

- All wall perforation ribs of Precision Panel Trunking have larger rounded slots for easy insertion of wires and cables.
- Rounded design with burr-free edges to prevent any injury to the hand of the user or to the cable insulation.



ELONGATED MOUNTING SLOTS

- Perforated base with elongated slot allows flexible mounting and better fastening of the cables.
- Robust sections.



* All dimensions in (mm)

Plumbing Piping Systems

CPVC Pipes & Fittings
ASTM (uPVC) Pipes & Fittings
Sewerage Waste and Rainwater (SWR)
Pipes & Fittings
Agriculture uPVC Pipes & Fittings



TERMS & CONDITIONS

- All mentioned prices are exclusive of GST and other government taxes (if any).
- The above prices are ex-factory.
- Any revision in existing taxation or any new government taxes will be to buyers' account only.
- Prices are subjected to change without prior notice.
- Subject to Mumbai Jurisdiction.

ISO 9001:2008 | ISO 14001:2004 | OHSAS 18001:2007



Pipes & Fittings

Precision Plastic Industries Pvt. Ltd.

19/D, Nand Jyot Industrial Estate,
Safed Pool, Andheri-Kurla Road,
Andheri (East), Mumbai 400072, India
T +91 22 4041 2000

